



Material Safety Data Sheet

Product Identification

Product Name: S-GEN™ Nitrile Examination Powder-Free Gloves
Product Cat #s: 44-104XS, 44-104S, 44-104M, 44-104L, 44-104XL

Physical Data

Color: Dark Lavender
Appearance: Ambidextrous, textured fingertips
Thickness: Glove: 3.0mil
Palm: 0.06mm
Finger: 0.09mm
Length: 24.5cm (9.6in)

Hazards Identification

Health Hazards Not hazardous
Physical Hazards Eyes: Not hazardous
Inhalation: Not hazardous
Skin: Persons known or suspected to be sensitive to Nitrile or components used in the manufacturing process should not be exposed to these gloves.

Product Composition

Acrylonitrile Butadiene Rubber. This product does not contain proteins found in natural rubber goods.

First Aid Measures

Eyes: Not applicable
Inhalation: Not applicable
Skin: Wash with soap and water
Ingestion: Seek medical attention immediately if a significant quantity is swallowed.

Fire Hazard Measures

These gloves may burn. They have not been subjected to a flammable performance test. Do not use for protection from cryogenic agents. Should the glove become contaminated, replace it immediately.

Extinguishing Media: Water, Carbon Dioxide, Foam

Accidental Release Measures

Not applicable.

Handling and Storage

- Store in a dry, well ventilated area
- Shield open box from direct sunlight, fluorescent lighting and x-rays
- Improper storage will decrease the usable life of these gloves

Expose Controls and Personal Protection

Not applicable.

Stability and Reactivity

Chemical Stability: Stable.

Conditions to Avoid: None.

Hazardous Products: None.

Shelf Life: 3 years.

Toxicological Information

Acute Effects: Non-toxic.

Sub-chronic and Chronic Effects: Non-toxic.

Ecological Information

Not applicable.

Disposal Recommended Methods

The gloves are non-biodegradable product where special decommissioning or disposal is required.

Transportation Information

Not listed as hazardous material.

Regulatory Information

Manufactured and conforms to the following quality standards:

- ASTM D412
- ASTM D573
- ASTM D5151
- ASTM D6124
- ASTM D6319
- ISO 2859
- ISO 9001
- ISO 13485